

[Noise Rating Curves should be measured as an LZeq at octave band centre frequencies 31.5 Hz to 8 kHz.]

• Before the use of the premises is commenced, Validation Testing of the sound attenuation works shall have been carried out and the results submitted to and approved by the EPS. Such Validation Testing shall:

a) Be carried out in accordance with an approved method statement.

b) Demonstrate that the specified noise levels have been achieved. In the event that the specified noise levels have not been achieved then, notwithstanding the sound attenuation works thus far approved, a further scheme of sound attenuation works capable of achieving the specified noise levels and recommended by an acoustic consultant shall be submitted to and approved by the Local Planning Authority before the use of the development is commenced. Such further scheme of works shall be installed as approved in writing by the EPS before the use is commenced and shall thereafter be retained.

• No amplified sound shall be played within the building except through an in-house amplified sound system fitted with a sound limiter, the design and settings of which shall have received the prior written approval of the EPS.

• No loudspeakers shall be fixed externally nor directed to broadcast sound outside the building at any time.

Regards,

Jon.

Jonathan Round  
Environmental Health Officer

Sheffield City Council

Environmental Protection Service

5<sup>th</sup> Floor (North)

Howden House

1 Union Street

Sheffield

S1 2SH

Tel +44 (0)114 273 4658/ 07887 641 266  
Fax +44 (0)114 273 6464

Visit us at: [www.sheffield.gov.uk/environmentalhealth](http://www.sheffield.gov.uk/environmentalhealth)

This page is intentionally left blank